



TINTORETTO MELANGE

description

Uncoated papers and boards made with E.C.F. (elemental chlorine free) ecological pulp. Felt marked on both sides, pulp-dyed and finely mottled. Available in five shades.

range

size grain substance
72x101 LG 95 140 200 250 300 350

technical features standard/instrument unit of measure

substance	VSA	Taber stiffness 15°		tearing length	
		ISO 2493		ISO 1924	
ISO 536	ISO 534	mN		m	
g/m ²	cm ³ /g	long±10%	cross±10%	long±10%	cross±10%
95 ± 3%	1,43	8	4	7000	3100
140 ± 3%	1,43	18	8	6000	2700
200 ± 4%	1,43	100	41	6000	2700
250 ± 5%	1,43	195	87	5000	2200
300 ± 5%	1,43	285	140	4500	2000
350 ± 5%	1,43	405	185	4500	2000

Relative Humidity 50% ± 5

ecological features



ELEMENTAL
CHLORINE
FREE
GUARANTEED



notes

The product is completely biodegradable and recyclable. Special runs available upon request.

The Company reserves the right to modify the technological features of the product in relation to market requirements.



Tintoretto Melange papers and boards are ideal for any kind of packaging and commercial printing.

They are held in high regard in converting systems for packaging business, shoppers, tags and pendants for fashion and clothing.

applications

Can be used without problems with the main printing systems: letterpress, offset, blind embossing, hot foil stamping, thermography and screen printing.

The macro-porous surface suggests the use of oxidative drying inks.

The characteristic felt marking requires specific printing pressure settings.

printing
suggestions

Varnishing and plastic laminating must be assessed in advance. The varnishing coated with an offset machine is almost fully absorbed and therefore does not improve gloss or protection. Screen-printing varnishing achieves better results, although it is often necessary to perform two shots to achieve a distinctly evident result.

The surface roughness typical of felt marked papers may give rise to micro defects with plastic laminating caused by incomplete adhesion of the film to the substrate.

Good results with major processing operations such as: cutting, die-cutting, scoring, folding and glueing.

converting
suggestions