



SPLENDORLUX LABEL

description High gloss one side Cast Coated papers made with E.C.F. pulp. Wet-strength treatment suitable for labelling applications. Available in Premium White colour. Substance 80 g is also available in one embossed version with “Fiandra” pattern.

range size grain substance
72x102 LG 80 90

technical features
ref. standard/instrument
unit of measure

substance	VSA	opacity	cobb 60	W.B.R.	Dry tensile strength	
ISO 536	ISO 534	ISO 2471	ISO 535	ISO 3781	ISO 1924	
g/m ²	cm ³ /g	%	g/m ²	%	kN/m	
					long±10%	cross±10%
80 ± 3%	1,1	89 ± 2	22 ± 2	≥ 10	5,9	3,2
90 ± 3%	1,1	90 ± 2	22 ± 2	≥ 10	6,5	4

Brightness - ISO 2470 (R457) - 92% ± 2

Gloss - T480 - 91% ± 3

Relative Humidity 40% ± 5 ref. TAPPI 502-98

treatment



ecological features



The mark of responsible forestry

ELEMENTAL
CHLORINE
FREE
GUARANTEED



notes


The product is completely biodegradable.
Special runs available upon request.

The Company reserves the right to modify the technological features of the product in relation to market requirements.

Splendorlux Label has been specially developed for the labels sector. For labelling, always observe the correct indications as regards grain direction. It must be parallel to the base of the bottle (see drawings).


applications

Form of the label




wrap-around label

Rolling after wetting the back of the label.



correct grain direction



wrong grain direction

The mirror-like surface permits to obtain particularly brilliant printing results with excellent contrast, details and chromatic saturation. Can be used without problems with the main printing systems: letterpress, offset, blind embossing, hot foil stamping, thermography, screen printing and bronzing. The surface requires the use of oxidative drying inks; also control the fountain solution in terms of both pH and conductivity and/or additives to keep emulsions to minimal levels. For better setting and dry control, we advise against excessive ink loads and recommends the use of anti-setoff spray powder and ink drying additives if necessary.

printing
suggestions

Splendorlux Label ensures excellent results in conventional or UV varnishing. Excellent results are also achieved with plastic lamination. There are no particular problems for all converting operations.

converting
suggestions